


GRAND-SE

The GRAND-SE is a powerful network storage system powered by a high-performance AMD quad-core processor. It can support 10GbE network card, and doubles the encrypted file transfer performance with the AES-NI hardware-accelerated encryption engine to over 800 MB/s. The GRAND-SE is designed for small and medium-sized businesses looking for backup, restoration, private cloud, storage for virtualization, and to future-proof their IT infrastructure for 10GbE networks.




Features

- The power of 64-bit quad-core processor with AES-NI support
- 2 x SODIMM Slots, up to 16 GB memory with 2 x 8GB DIMMs
- Ready to support 10GbE network card
- Storage expandable via USB 3.1 Gen 1 (5Gb/s), up to 200TB



Speedy transfer and hardware-accelerated encryption with AES-NI

The GRAND-SE is equipped with an energy-efficient 64-bit AMD quad-core 2.0GHz processor with maximum 16GB, SATA 6Gb/s, support one SFP+ 10GbE and four Gigabit LAN ports for lightning-fast multi-tasking performance with SSD cache support. The GRAND-SE is a powerful storage server that delivers up to 1,059 MB/s sequential read throughput with expanding one 10GbE configuration. The GRAND-SE's hardware-accelerated encryption engine provides unmatched encryption performance in its class, up to 822 MB/s with AES-256 bit full storage server volume encryption, boosting system performance & security while ensuring the safety of sensitive business data stored in the GRAND-SE.



Specifications



Model	GRAND-SE-04A	GRAND-SE-04A-RP	GRAND-SE-08B	GRAND-SE-08B-RP	GRAND-SE-12B	GRAND-SE-12B-RP
CPU	64-Bit Quad-Core AMD® G-Series 2.0GHz					
Memory	Total memory slots: 2 SODIMM; Memory expandable up to 16GB DDR3L (8GB x 2)					
Max. HDDs/SSDs	4		8		12	
HDDs/SSDs Type	2.5" or 3.5" SATA 6Gb/s, 3Gb/s; hot-swappable					
Expansion Unit Support	Max. 1 expansion unit					
LAN Ports	4 x GbE ports					
USB Ports	USB 3.1 Gen 1 (5Gb/s): 2, USB 2.0: 3		USB 3.1 Gen 1 (5Gb/s): 2, USB 2.0: 2		USB 3.1 Gen 1 (5Gb/s): 2, USB 2.0: 2	
PCIe Slot	1 x PCIe 2.0 x 4 slot					
LED Indicators	Status, LAN, USB, HDD1-4		Power, Status, LAN, USB, HDD1-8		Power, Status, LAN, USB, HDD1-12	
Buttons	Power, Reset, USB Auto Copy		Power, Reset		Power, Reset	
Form Factor	1U Rackmount		2U Rackmount		2U Rackmount	
Dimensions (HxWxD)	1.73 x 17.28 x 19.65 inch		89 x 482 x 534 mm / 3.50 x 18.97 x 21.02 inch			
Weight (Net/Gross)	7.63 / 11.60 kg 16.82 / 25.57 lb		11.02 / 19.26 kg 24.29 / 42.46 lb		16.14 / 19.41kg 35.58 / 41.84 lb	
Temperature and Humidity	0-40°C, 5~95% RH non-condensing, wet bulb: 27°C					
Power Supply Specification	Input: 100-240V AC, 50/60Hz; Output: 250W					
	250W	2 x 250W	250W	2 x 250W	250W	2 x 250W

Ordering Information

Part No.	Description
GRAND-SE-04A-R10	1U 4Bay front 3.5" HDD or SSD support, rackmount storage server system (Barebone) with AMD GX-424CC, 250W single PSU, RoHS
GRAND-SE-04A-RP-R10	1U 4Bay front 3.5" HDD or SSD support, rackmount storage server system (Barebone) with AMD GX-424CC, 250W redundant PSU, RoHS
GRAND-SE-08B-R10	2U 8Bay front 3.5" HDD or SSD support, rackmount storage server system (Barebone) with AMD GX-424CC, 250W single PSU, RoHS
GRAND-SE-08B-RP-R10	2U 8Bay front 3.5" HDD or SSD support, rackmount storage server system (Barebone) with AMD GX-424CC, 250W redundant PSU, RoHS
GRAND-SE-12B-R10	2U 12Bay front 3.5" HDD or SSD support, rackmount storage server system (Barebone) with AMD GX-424CC, 250W single PSU, RoHS
GRAND-SE-12B-RP-R10	2U 12Bay front 3.5" HDD or SSD support, rackmount storage server system (Barebone) with AMD GX-424CC, 250W redundant PSU, RoHS

Options

Item	Order P/N	Description
Network card	LAN-10G2SF-MLX	Dual-port 10GbE SFP+ network expansion card
Network card	LAN-10G2T-X550	Dual-port 10GbE 10GBASE-T network expansion card
Network card	LAN-1G2T-I210	Dual-port Gigabit network expansion card
USB card	USB-U31A2P01	USB 3.1 Gen 2 10Gbps Type-A dual-port PCIe card
Rail kit	RAIL-B02	B02 series slide for 1U,2U chassis

Packing List

Ethernet Cable x 2	Flat head screws (for 2.5" HDD)
Power cord x 2 (non RP model only one power cord)	Flat head screws (for 3.5" HDD)

*Pre-install Memory by Request